

terraza

LIFESTYLE AT YOUR FEET.



werzalit[®]
LASTING. BEAUTY.





A class act in terrace flooring: terraZa.

For outdoor space with style

Fall in love with terraZa. Soft on the outside, enduring and full of natural character. So what's the secret? By bringing together the best qualities of wood and plastic, this terrace flooring creates stylish outdoor solutions for paths, decking areas, steps and terracing.

Dimensionally stable and resistant

You'll enjoy terraZa for many years to come. Unlike wood, the material is dimensionally stable and resistant to moisture and cold, acid rain, salt water and chlorinated water, mould and insects. At the same time, terraZa is just as easy to work with as wood and can be drilled, sawn and milled.

Kind on your feet and easy to handle

Your feet will love terraZa. The surface has a pleasant satin matt feel and does not splinter. The ribbed surface also means you won't slip in the wet. terraZa is easy to clean using a high pressure cleaner, and the material is untreated and therefore perfect for recycling.

terraZa Tile:
Product of the year 2008



terraZa Profile:
Winner of the Baden-Württemberg
Design and Innovation Award



**Focus Know-how
Silber 2005**



terraZa:
Certified by the quality association
Holzwerkstoffe e.V.





terraZa Profile. Naturally beautiful.

Well worth an all-round look

terraZa's natural wood character exudes style. Finely fluted on one side and coarsely fluted on the other, the profiles can be fitted with either side visible. Use them in combination and you'll achieve a fascinating variety of designs. Choose from a range of colours: sabbia, terracotta, topino and marrone. The tones fade naturally over time yet without losing the essential character of the original colour.

Patently simple: easily installed

Our patented Click System makes fitting the profiles easy and eliminates open joints, through which dirt and food might otherwise fall and weeds grow. A dual-option lock position allows you to fit the profiles with narrow or wide design joints, which allow the material to expand naturally in response to variations in temperature.

The sturdy construction has a load-bearing capacity of 500 kg/m², thus reducing the sub-framework requirement, which can be laid with clearances of up to 60 cm.

481 | sabbia*


482 | terracotta

483 | topino

484 | marrone



terraZa Profile




terraZa Tile. Square. Practical.

Perfect for large areas

The square format terraZa Tile provides a stunning alternative to our profiles. Equipped with our handy Click System and in a 44 x 44 cm format, the tiles make terrace-laying a sure and fast process. And when it comes to large areas, it certainly pays off. Laid lengthwise, crosswise or alternately, the fluted surface produces a variety of different floor designs you'll love. terraZa Tiles are available in terracotta, topino and marrone – the perfect match for your project every time.

Resilient and sturdy

The terraZa Tile format also proves its worth in terms of stability, as its load capacity of 600 kg/m² opens up a multitude of applications. The sub-framework is laid with clearances of up to 44 cm. Whatever you're planning, with terraZa Tiles you're on solid ground.



482 | terracotta

483 | topino

484 | marrone

terraZa Tile



terraZa has got it all:

- Stylish terrace design
- Pleasant to walk on
- Resistant, dimensionally stable and easy-care
- Slip resistant even when wet
- Does not splinter
- Fast and economical installation
- Ideal for large areas
- 5-year warranty

Stunning, smart and speedy.


A system with lots of possibilities

Combine the profiles and tiles and achieve a wealth of design options. The system is well thought-out and all terraZa products are compatible, making designs easy and quick to create.

Fastens invisibly

terraZa – both profiles and tiles – reduces the need for fastening systems down to a tiny number of screws. Even these are concealed when fitted and are therefore invisible. Simple wood-working tools are all that's needed for installation. It all adds up to a significant pay-back: you save on time and therefore cost.


Technical specifications	Profiles	Tiles
Coverage width	Approx. 150 mm with 5 mm joint Approx. 155 mm with 10 mm joint	442 x 442 mm
Supply length	4, 5, 6 m	
Material requirement/m ²	Approx. 6.7 running m with 5 mm joint Approx. 6.5 running m with 10 mm joint	Approx. 5.1 units
Height	38 mm	38 mm



terraZa Tile



Starter profile




terraZa Profile



End profile



End cap



Mounting bracket



End strip



Connection profile



Cover angle



Rubber pad



Subframe batten*




terraZa Accessories.


It's all there!

By sourcing everything you need to install your terraZa flooring from one source – from the sub-framework through screws to the end strip – you save yourself all that tiresome searching for suitable accessories. At the same time, you gain a well thought-out system, which fits at the first attempt, works well and quality you can rely on right from the start. terraZa gives you the best of both worlds: personalised design and the perfect professional look.

Needless to say, we provide detailed mounting instructions for all WERZALIT terrace covering systems.



Subframe bar



Screws

*only for tile

werzalit®
LASTING. BEAUTY.

WERZALIT GmbH + Co. KG
Postfach 20 · D-71718 Oberstenfeld
Phone +49 (0) 70 62 / 50-0
Fax +49 (0) 70 62 / 50 208
E-Mail info@werzalit.de
www.werzalit.de

WERZALIT UK Office
Mr. Simon Hill
P.O. Box 1068 · GB - Lincoln, LN2 3WN
Phone +44 (0) 16 73 / 86 61 88
Fax 0 800 02 34 26 7
Phone +44 (0) 75 15 / 46 94 63
E-Mail s.hill@werzalit.com